American Standard
Style That Works Better

UPGRADABLE
PRESSURE BALANCE BATH/SHOWER FITTING
TEMPERATURE CONTROL VALVE



Available Trim Kits



R110 Valve Body Shown

GENERAL DESCRIPTION:

Cast brass body, washerless ceramic disc valve cartridge with back-to-back capability and hot limit safety stop. Cycles from "off" to "cold" to "hot". Pressure balancing cartridge maintains constant output temperature in response to changes in relative hot and cold supply pressure. One-half inch inlets and outlets (choice of direct sweat, threaded, or PEX). Available with screwdriver stops. Rough-in plaster guard designed for use as thin-wall mounting adaptor. Valve body will accept a variety of decorative Bath/Shower trims.

PRODUCT FEATURES:

Cast Brass Valve Body: Durable - Quality that will last a lifetime. Ideal material for prolonged contact with water.

Ceramic Disc Valve Cartridge: Assures a lifetime of drip-free performance. Allows easy fine tuning of temperature (125˚handle rotation from off to hot).

Pressure Balancing Valve Cartridge: Maintains constant output temperature in response to changes in hot and cold supply pressure. Diaphragm system engineered to eliminate cross flow. Avoids failure due to mineral deposits - ideal for use in hard water

Back-to-Back Capability: Hot and cold can be reversed quickly and easily.

Adjustable Hot Limit Safety Stop: Limits the amount of hot water allowed to mix with cold. Reduces the risk of accidental scalding.

Exclusive Plaster Guard: Plaster guard is designed to protect valve during installation and serve as a mounting plate for thin-wall installations. 2 piece design allows valve to be tested prior to trim installation.

Wide Rough-in Range: From 1-5/8" to 3-1/4".

MODEL NUMBER:

- ❑ **R110 Pressure Balance Rough Valve Body only**
  Direct sweat inlets/outlets. LESS trim.
- ❑ **R110SS Pressure Balance Rough Valve Body only with Screwdriver stops**
  Direct sweat inlets/outlets. Screwdriver stops. LESS trim.
- ❑ **R115 Pressure Balance Rough Valve Body only**
  Female thread inlets/outlets. LESS trim.
- ❑ **R115SS Pressure Balance Rough Valve Body only with Screwdriver stops**
  Female thread inlets/outlets. Screwdriver stops. LESS trim.
- ❑ **R117 Pressure Balance Rough Valve Body only**
  PEX inlets/Direct sweat outlets. LESS trim.
- ❑ **R117SS Pressure Balance Rough Valve Body only with Screwdriver stops**
  PEX inlets/Direct sweat outlets. Screwdriver stops. LESS trim.

See reverse for available trim kits.



VALVE BODY OPTIONS



SWEAT (R110)



SWEAT (STOPS) (R110SS)



THREADED (R115)



THREADED (STOPS) (R115SS)



PEX (R117)



PEX (STOPS) (R117SS)

SUGGESTED SPECIFICATION:

Bath/shower fitting shall feature a cast brass body. Shall feature ceramic disc valve cartridge which is capable of back-to-back installation. Fitting shall be equipped with pressure balancing cartridge engineered to eliminate cross flow and avoid failure due to mineral deposits. Shall also feature hot limit safety stop. Fitting shall be: Rough Valve Body - American Standard Model # R11____, Trim Kit - American Standard Model # ____.____.

© 2008 AS America Inc.

American Standard
Style That Works Better

UPGRADABLE
PRESSURE BALANCE BATH/SHOWER FITTING
TEMPERATURE CONTROL VALVE

Valve + Trim: *Trim Kit & Valve Body Packaged Separately*

To order: Specify valve body ***and*** trim kit desired
Example: R110 - Direct Sweat Valve Body
T215.710 - Hampton Bath/Shower Trim Kit (Porcelain Lever Handle)



*Flow rates shown are for mixed hot and cold.

VALVES

						
	R110	R110SS	R115	R115SS	R117	R117SS
	Direct Sweat Inlets/ Outlets	Direct Sweat Inlets/Outlets w/ Screwdriver Stops	Female Thread Inlets/ Outlets	Female Thread Inlets/Outlets w/ Screwdriver Stops	PEX Inlets/Direct Sweat Outlets	PEX Inlets/Direct Sweat Outlets w/ Screwdriver Stops

CODES AND STANDARDS

These products meet or exceed the following codes and standards:

ASSE 1016
ASME A112.18.1
CSA B 125

• Showerhead with 2.5gpm/9.5L.min. flow restrictor.

TRIM KITS

	Colony*	Tropic	Dazzle	Hampton**	Standard	Town Square	One	Enfield***	Amarilis****
B/S	T375.XXX	T038.502	T028.502	T215.7XX	T6181	T555.502	T064.502	T373.5X2	T345.000
Shower	T372.XXX	T038.501	T028.501	T212.7XX	T6180	T555.501	T064.501	T373.5X1	T342.000
Valve	T371.XXX	T038.500	T028.500	T211.7XX	T6179	T555.500	T064.500	T373.5X0	T341.000

NOTES:

*** COLONY with 2.5 showerhead**

Lever Handle 120	Metal Lever Handle 240

with FloWise® showerhead

Lever Handle 128	Metal Lever Handle 248

**** HAMPTON**
available with choice of three handles.
to order: specify the three digit handle number
ex) T211.710 (valve only trim kit w/ porcelain lever handle)

Porcelain Lever 710	Metal Cross 720	Metal Lever 730

***** ENFIELD** available with lever or cross handle

Lever Handle 500	Cross Handle 520

****** AMARILIS**
trim kits are less handles--must be ordered separately.
the following handle kits are available:

Metal Cross 551	Metal Lever 441	Metal Lever 541	Perfume Bottle 431
Lexington 901			

© 2008 AS America Inc.

American Standard
Style That Works Better

TRIM KITS
FOR TEMPERATURE CONTROL VALVES

Trim Kits for R110, R110SS, R115, R115SS, R117, R117SS rough valve bodies. Showerhead with 2.5gpm/9.5L/min. maximum flow.
TRIM KITS ONLY. VALVE MUST BE ORDERED SEPARATELY.

Trim Kit	Model # Description	Finishes	Roughing-In Dimensions
COLONY 	**T375.120 BATH/SHOWER Trim Kit** • Wall escutcheon • Lever handle • "Easy Clean" Showerhead • Shower arm and flange • Slip-on Diverter tub spout **T375.240 SAME AS ABOVE** • With Metal lever handle **T372.120 SHOWER ONLY Trim Kit** • Wall escutcheon • Lever handle • "Easy Clean" Showerhead • Shower arm and flange **T372.240 SAME AS ABOVE** • With Metal lever handle **T371.120 VALVE ONLY Trim Kit** • Wall escutcheon • Lever handle **T371.240 SAME AS ABOVE** • With Metal lever handle	.002 Polished Chrome	
COLONY WITH FLOWISE 	**T375.128 BATH/SHOWER Trim Kit** • Wall escutcheon • Lever handle • Water Saving FloWise® Showerhead • Angle adjustable • Showerhead, arm and flange • Diverter tub spout • Less valve **T375.248 SAME AS ABOVE** • Metal Lever handle **T372.128 BATH/SHOWER Trim Kit** • Wall escutcheon • Lever handle • Water Saving FloWise® Showerhead • Angle adjustable • Showerhead, arm and flange • Less valve **T372.248 SAME AS ABOVE** • Metal Lever handle	.002 Polished Chrome	
TROPIC 	**T038.502 BATH/SHOWER Trim Kit** • Metal Lever handle • Brass wall escutcheon • Showerhead, arm and flange • Slip-on Diverter tub spout **T038.501 SHOWER ONLY Trim Kit** • Metal Lever handle • Brass wall escutcheon • Showerhead, arm and flange **T038.500 SHOWER ONLY Trim Kit** • Metal Lever handle • Brass wall escutcheon	.002 Polished Chrome .295 Satin Nickel (PVD) .002 Polished Chrome .295 Satin Nickel (PVD) .002 Polished Chrome .295 Satin Nickel (PVD)	

© 2008 AS America Inc.

American Standard
Style That Works Better

TRIM KITS
FOR TEMPERATURE CONTROL VALVES

Trim Kits for R110, R110SS, R115, R115SS, R010, R015, R117, R117SS rough valve bodies. Showerhead with 2.5gpm/9.5L/min. maximum flow. **TRIM KITS ONLY. VALVE MUST BE ORDERED SEPARATELY.**

Trim Kit	Model # Description	Finishes	Roughing-In Dimensions
HAMPTON 	**T215.7XX BATH/SHOWER Trim Kit** • Brass wall escutcheon • Adjustable brass Showerhead • Shower arm and flange • Slip-on diverter tub spout **T212.7XX SHOWER ONLY Trim Kit** • Brass wall escutcheon • Adjustable brass Showerhead • Shower arm and flange **T211.7XX VALVE ONLY Trim Kit** • Brass wall escutcheon	**Porcelain Lever, Metal Cross Handle Finishes** .002 Polished Chrome .099 Polished Brass (PVD) .295 Satin Nickel (PVD) **Metal Lever Handle Finishes** .002 Polished Chrome .068 Blackened Bronze (PVD) .099 Polished Brass (PVD) .221 Satin (PVD)/Pol. Chrome mix. .295 Satin Nickel (PVD) .297 Satin/Brass (PVD) mix. .299 Pol. Chrome/Brass (PVD) mix.	
DAZZLE 	**T028.502 BATH/SHOWER Trim Kit** • Metal Lever Handle • Brass wall escutcheon • Showerhead, arm and flange • Slip-on diverter tub spout **T028.501 SHOWER ONLY Trim Kit** • Metal Lever Handle • Brass wall escutcheon • Showerhead, arm and flange **T028.500 VALVE ONLY Trim Kit** • Metal Lever Handle • Brass wall escutcheon	.002 Polished Chrome .068 Blackened Bronze (PVD) .295 Satin Nickel (PVD) .002 Polished Chrome .068 Blackened Bronze (PVD) .295 Satin Nickel (PVD) .002 Polished Chrome .068 Blackened Bronze (PVD) .295 Satin Nickel (PVD)	
STANDARD 	**T6181 BATH/SHOWER Trim Kit** • Metal wall escutcheon • Porcelain lever handle • 5" adjustable showerhead • Cast brass diverter tub spout with I.P.S. connection **T6180 SHOWER ONLY Trim Kit** • Metal wall escutcheon • Porcelain lever handle • 5" adjustable showerhead **T6179 VALVE ONLY Trim Kit** • Metal wall escutcheon • Porcelain lever handle	T6181 Polished Chrome T6181S Satin Nickel (PVD) T6180 Polished Chrome T6180S Satin Nickel (PVD) T6179 Polished Chrome T6179S Satin Nickel (PVD)	

HAMPTON HANDLE OPTIONS

710 Porcelain* Lever

720 Metal Cross

730 Metal Lever

Hampton available with choice of 3 handles.
To order: specify the 3 digit handle number.
eg: T211.710 = Hampton Valve Only Trim Kit with Porcelain Lever Handle

© 2008 AS America Inc.

American Standard

Style That Works Better

Trim Kits for R110, R110SS, R115, R115SS, R010, R015, R117, R117SS rough valve bodies. Showerhead with 2.5gpm/9.5L/min. maximum flow. **TRIM KITS ONLY. VALVE MUST BE ORDERED SEPARATELY.**

Trim Kit	Model # Description	Finishes	Roughing-In Dimensions
TOWN SQUARE 	**T555.502 BATH/SHOWER Trim Kit** • Metal wall escutcheon • Metal lever handle • Cast brass shower arm • 4 1/2" Rain showerhead • Cast brass diverter tub spout with I.P.S. connection **T555.501 SHOWER ONLY Trim Kit** • Metal wall escutcheon • Metal lever handle • Cast brass shower arm • 4 1/2" Rain showerhead **T555.500 VALVE ONLY Trim Kit** • Metal wall escutcheon • Metal lever handle	.002 Polished Chrome .068 Blackened Bronze (PVD) .295 Satin Nickel (PVD) .002 Polished Chrome .068 Blackened Bronze (PVD) .295 Satin Nickel (PVD) .002 Polished Chrome .068 Blackened Bronze (PVD) .295 Satin Nickel (PVD)	
ONE 	**T064.502 BATH/SHOWER Trim Kit** • Brass wall escutcheon • Adjustable “3 function” showerhead • Cast brass diverter tub spout • LESS Valve **T064.501 SHOWER ONLY Trim Kit** • Brass wall escutcheon • Adjustable “3 function” showerhead • LESS Valve **T064.500 VALVE ONLY Trim Kit** • Brass wall escutcheon • LESS Valve	.002 Polished Chrome .295 Satin Nickel (PVD) .002 Polished Chrome .295 Satin Nickel (PVD) .002 Polished Chrome .295 Satin Nickel (PVD)	

© 2008 AS America Inc.